



PERSPECTIVES
C O R P O R A T I O N



RESPIRATORY ILLNESS FAQ

FREQUENTLY ASKED QUESTIONS | Updated March 5, 2024

Who should get a COVID-19 Test?	p.1
How do I get fully vaccinated for Respiratory Virus Prevention?	p.1
Am I required to wear a mask at a Perspectives location??	p.2
When should I not go to work?	p.3
What's the plan if/when an individual or employee tests COVID, Flu or RSV positive?	p.3

1130 Ten Rod Road | Building B, Suite 101
North Kingstown, RI 02852
(401) 294-3990

www.perspectivescorporation.com

#1 | Who should get a COVID-19 Test?

You should get tested for COVID-19 if:

- You have [symptoms of COVID-19](#). Even if your symptoms are mild and you're up to date with your COVID-19 vaccinations, you should isolate at home and get tested.

Learn how to get a COVID-19 test at www.covid.ri.gov/detect/testing

The Perspectives Nursing Department will have limited ability to administer rapid tests while supplies last for those who are symptomatic.

#2 | How do I get fully vaccinated for Respiratory Virus Prevention?

- Immunizations are a core prevention strategy to lower risk from respiratory viruses.
- Core prevention strategies are important steps you can take to protect yourself and others from respiratory viruses.
- For most people that means getting a current flu and COVID-19 vaccine.
- Adults ages 60 years and older should talk to their healthcare provider about whether an RSV vaccine is right for them.
- To prevent severe RSV disease in infants, CDC recommends either the pregnant mother gets an RSV vaccine, or the infant gets an immunization with an RSV monoclonal antibody. Most infants will not need both.

[Learn more](#) about immunization for Respiratory Virus Prevention at cdc.gov



#3 | Am I required to wear a mask at a Perspectives location?

Perspectives does not require masks to be worn by employees or visitors unless you are working in a positive location or are 5 days post isolation period due to a positive test result.

Reminder for those choosing to wear a mask:

- **Disposable masks:** Should be used for one shift only and then disposed.
- **Fabric masks:** It is recommended these are washed daily.

Reusing N95/KN95 face masks:

Masks intended for reuse should be stored between uses in a clearly marked paper bag, this should be kept with the employee - not left at place of employment. One mask should never be shared between employees or PWS. An N95/KN95 face mask can be reused as long as it fits closely to the face.

CDC guidelines suggest reusing a mask no more than 5 times. Regardless of that, an N95/KN95 mask should be discarded immediately if it becomes soiled with bodily fluids.

#4 | When should I not go to work?

All employees who have symptoms of a respiratory illness, even if they are mild, and regardless of vaccination status should:

- Notify supervisor
- Not go to work
- Get a Rapid/PCR test if suspect COVID, Flu, or RSV
- Follow [CDC Guidelines](#) for preventing spread of a respiratory illness when you're sick.



#5 | What's the plan if/when an individual or employee is COVID, Flu o RSV positive?

The Perspectives nursing department continues to follow CDC guidelines and be in frequent contact with the Rhode Island Department of Health and Behavioral Healthcare, Developmental Disabilities and Hospitals (BHDDH) for updates.

For employees working in a positive environment, full PPE is required when working directly with a PWS during their isolation period,

Any employee or PWS who has had a positive viral test must wear a high-quality mask (proper fit over nose, mouth, & chin) for 5 days post their isolation period.

Questions?

Melissa Augaitis, RN MSN-Ed

Senior Director of Nursing

maugaitis@perspectivescorporation.com